

Garat 539AA2MPI



# Flame retardant, anti-static hi-vis polo shirt

The Garat is a flame retardant, anti-static hi-vis polo shirt with good moisture management properties. The long-sleeved shirt with turnover collar has undergone antibacterial treatment and protects you against exposure to UV sunlight. This comfortable and soft polo shirt increases your visibility during work thanks to the welded, segmented reflective tape on the arms, chest, stomach and back.









UPF 50+



# Flame retardant, anti-static hi-vis polo shirt

Garat - 539AA2MPI

# **European Standards**

- » EN ISO 11612 : 2015 / A1 B1 C1 F1
- » EN ISO 14116 : 2015 / IND.3
- » EN ISO 20471 : 2013 +A1 2016 / Class 3
- » EN 13758-2 : 2003 + A1 : 2006 / UPF 50+
- » EN 1149-5 : 2008
- » EN ISO 13688 : 2013

### Exterior

- » Lay-flat collar
- » Closure with hidden press studs under flap
- » Long sleeves
- » Welded, segmented reflective tape
- » Back length 72 cm (L)

## Fabric

Jersey: 60% Prote + 39% Vilof + 1% AST; ± 180 g/m<sup>2</sup>

## Sizes

S - XXXL

### Colour

» FY1 Hi-Vis Yellow

### Packaging

10 pieces per box

Wash and care instructions



### Atex Workwear

Raudoittajantie 16 06450 Porvoo Finland Tel. +358 20 144 2020

www.atex-workwear.com



© 2017 Sioen Apparel - Protection through Innovation, Flexotharite Siopor® and the SIOENlogo are trademarks of the Sioen Industries Group

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever Contact our sales for full information if specific requirements are needed.